

## VURSA SERIES SHOWER STALL

**Oasis**



48-INCH MODEL

**SH-4836 (no seat)**

Rough-In Dimensions

48" wide x 37-1/4" deep x 76-3/4" high (with low profile dam)

Finished Dimensions

48" wide x 36" deep x 75-1/2" high (with low profile dam)

Unit Features

- One - Piece Fiberglass Composite Construction
- Sanitary Grade Polyester Gelcoat Surface
- 3-3/8" Dia. Center Drain (see following pages)
- Twin, Elevated Corner Accessory Towers
- Generous Back Wall Shelving
- Flat Wall Design To Accommodate Grab Bar Applications
- Center, Lower Accessory Shelf With Wash Cloth Rod
- Low Profile Dam (standard)
- Textured Floor Pattern
- Balsa Wood Core Floor Structure

Special Notes

- Optional ABF Model Provides 3 Inches of Drain Clearance
- Optional Fair Housing Reinforcement Package (see following pages)

*VURSA Standard Module*

Order No.: SH-4836

48" x 36", one-piece gelcoated fiberglass shower stall, 4" low profile dam (1" drain clearance), wall surround, and center drain.

*VURSA Above Floor Rough-In Module*

Order No.: SH-4836 ABF (6" dam)

48" x 36", one-piece gelcoated fiberglass shower stall, 6" dam (3" drain clearance for above floor plumbing), wall surround, and center drain.

---

*VURSA Standard Module  
with Fair Housing Package*Order No.: SH-4836 / FH  
(Fair Housing Reinforcement)

48" x 36", one-piece gelcoated fiberglass shower stall, 4" low profile dam (1" drain clearance), wall surround, center drain, and Fair Housing compliant wall reinforcement for site installed grab bars.

*VURSA Above Floor Rough-In Module  
with Fair Housing Package*Order No.: SH-4836 ABF / FH (6" dam)  
(Fair Housing Reinforcement)

48" x 36", one-piece gelcoated fiberglass shower stall, 6" dam (3" drain clearance for above floor plumbing), wall surround, center drain, and Fair Housing compliant wall reinforcement for site installed grab bars.

---

*VURSA Standard Module  
with Wrap-Around Bar Package*

Order No.: SH-4836 / BP3 (Bar Package)

48" x 36", one-piece gelcoated fiberglass shower stall, 4" low profile dam (1" drain clearance), structurally reinforced wall surround, center drain, and factory installed bar package.

*VURSA Above Floor Rough-In Module  
with Wrap-Around Bar Package*Order No.: SH-4836 ABF / BP3 (6" dam)  
(Bar Package)

48" x 36", one-piece gelcoated fiberglass shower stall, 6" dam (3" drain clearance for above floor plumbing), structurally reinforced wall surround, center drain, and factory installed bar package.

---

*VURSA Standard Module  
with Back Wall Bar Package*

Order No.: SH-4836 / BP5 (Bar Package)

48" x 36", one-piece gelcoated fiberglass shower stall, 4" low profile dam (1" drain clearance), structurally reinforced wall surround, center drain, and factory installed bar package.


*VURSA Above Floor Rough-In Module  
with Back Wall Bar Package*Order No.: SH-4836 ABF / BP5 (6" dam)  
(Bar Package)

48" x 36", one-piece gelcoated fiberglass shower stall, 6" dam (3" drain clearance for above floor plumbing), structurally reinforced wall surround, center drain, and factory installed bar package.

**NOTE:** A series of alternate, factory installed, bar positions has been developed for this model. Refer to illustration for details. The number and the position of available bars must be defined when ordering. Alternate bar positions only available with 26 inch bars.


## SH-4836 (illustrated)

	A	B	C	D	E	F	G
Std. Model	4"	1"	2"	75-1/2"	76-3/4"	56"	40-1/4"
ABF Model	6"	3"	4"	77-1/2"	78-3/4"	58"	42-1/4"




## SH-4836 / FH (illustrated)

	A	B	C	D	E	F	G
Std. Model	4"	1"	2"	75-1/2"	76-3/4"	56"	40-1/4"
ABF Model	6"	3"	4"	77-1/2"	78-3/4"	58"	42-1/4"




SH-4836 / BP3  
 (standard low profile model illustrated)  
 SH-4836 / BP5 (not shown)  
 (one-34-3/4" back wall bar only)

BP3 & BP5 Packages  
 Also Available On ABF Version  
 (6" dam - 3" drain clearance)



SH-4836  
 Alternate Bar Positions  
 (standard low profile model illustrated)

Alternate Bars Also Available  
 On ABF Version  
 (6" dam - 3" drain clearance)



Alternate Bar Positions  
 Only Available With 26 Inch Bars.

Photographic images may include optional components and appear different than actual product.  
 Dimensions shown are maximum. Due to the nature of the materials involved, actual unit dimensions can vary (tolerances: +0 / -3/8 inch).  
 Oasis reserves the right to modify or discontinue product and/or associated equipment without prior written or verbal notification or obligation.