

Your Bathroom Re-Vision Needs An

Oasis®



VURSA *kd*

The development of our patented assembly system for the VURSAkd family is only part of the story. We carefully configured each individual section to create a stylish product with advanced multifunctional capability. The development process was guided by “Intuitive Lifestyle Design” (ILD) principles. The core of the Oasis “ILD” process focuses on the expectations for the usage and life of a product. The result of this process allows you to comfortably choose for your current style while planning for your future needs.



Our innovative front-install VURSAkd systems eliminate the seam issues commonly associated with panel wall surrounds. Each component is positively locked together to create a continuous compression. Seam integrity and the rigidity of our assembly is further enhanced with each section being secured to the bathroom framing.

The VURSAkd product families consist of various sizes and configurations with common design influences. Each of the top sections incorporate back wall shelving which can comfortably store your showering essentials. The shelves extend from the upper section to position items within easy reach while standing.




The VURSAkd line consists of two product families. The first is our original ‘3P’ offering which utilizes horizontal stacking sections to create a tight wall surround. The seams traditionally associated with multiple piece designs are minimized by overhanging shelves strategically placed for visual affect and performance. These seam extensions help reduce the potential for unwanted moisture around the seams that can lead to leakage.

The second part of our VURSAkd line, ‘4P’, incorporates a 3-section wall surround plus base, utilizing the same ergonomic designs as our 3P system. This 3-piece wall series integrates some of the same locking techniques in a more traditional vertical package for easy installation in tight bathroom layouts.




VURSAkd tub/showers and standard shower models incorporate a subtle contouring “curb” on top of the tub apron and shower threshold to restrict water travel to the bathroom floor and provide an added level of security against water seepage.



Our Construction

True to our heritage of durable high-quality products, every Oasis unit is constructed with a high resin and glass ratio composite, which is compressed to eliminate strength robbing air pockets. Our construction also utilizes a proven and reliable floor construction system using a 1/2-inch thick Balsa Wood core encapsulated in a resin and fiberglass rich composite creating a rigid (no wet-set required) floor structure.

Independent testing has verified our floors to be up to 5 times stronger than our competitor's. This attention to detail means a longer lasting product and one less thing for you to worry about. This same consideration also goes into our wall reinforcement when grab bars and seats are needed. Thorough testing is done to ensure our components hold up and provide the utmost safety and security. This is our guarantee that your Oasis product will last.





SH3P-3232
32x32
4" or 6" threshold



SH3P-3636
36x36
4" or 6" threshold



SH3P-4832
48x32
4" or 6" threshold



SH3P-4834RS (shown)
48x34
4" or 6" threshold



SH3P-6030L (shown)
60x30
4" or 6" threshold



SH3P-6030L-RS (shown)
60x30
4" or 6" threshold



SH3P-6032R (shown)
60x32
4" or 6" threshold



SH3P-6032R-LS (shown)
60x32
4" or 6" threshold



SH4P-6030
60x30
4" or 6" threshold



SH4P-6030 R-LS (shown)
60x30
4" or 6" threshold



SH4P-6032
60x32
4" or 6" threshold



SH4P-6032 L-RS (shown)
60x32
4" or 6" threshold



SH3P-3937 / ANS17-RS
39x37 (36x36 interior)
ADA & ANSI Compliant



SH3P-6334 / ANS17-LS
63x34 (60x32 interior)
ADA & ANSI Compliant



SH3P-MD-6032L / BP2-60
60x32
Roll-in threshold

Shower Features



- 3-piece and 4-piece systems allow for easy front installation
- Multiple widths and depths to accommodate most remodel needs including: 32, 36, 48, & 60-inch widths / 30, 32, 34, & 36-inch depths
- 60-inch end drain versions provide a simple solution for tub replacement
- Center drain versions provide a standard shower configuration
- Carefully contoured single-seat versions available in 48 x 34-inch, 60 x 30-inch, and 60 x 32-inch sizes
- Optional factory installed grab bar and combination grab bar & seat configurations provide secure showering
- Optional factory installed wall reinforcement for field installation of showering components
- Low-profile (4-inch) dam height, reduces the entry step-over while an ABF (6-inch) dam provides additional drain clearance
- Minimal dam model with an end drain configuration provides unobstructed wheelchair entry
- ADA & ANSI compliant models provide true barrier-free accessibility when properly equipped



TS3P-6030L (shown)
60x30
16" or 17.25" apron



TS3P-6032L (shown)
60x32
16" or 17.25" apron



TS4P5429L (shown)
54x29
16" or 17.25" apron



TS4P-6030L (shown)
60x30
16" or 17.25" apron



TS4P-6032L (shown)
60x32
16" or 17.25" apron

Tub/Shower Features

- 3-piece and 4-piece systems allow for easy front installation
- Assembly connection above the tub deck creates a back splash on three sides to eliminate water channeling at the base of the walls
- Supplemental shelf space along the tub deck provides added storage for accessories
- Ergonomic backrest & lumbar support for bathing comfort
- Traditional depth bathing wells with an optional factory installed whirlpool system
- Optional factory installed grab bar and combination grab bar & seat configurations provide secure bathing
- Optional factory installed wall reinforcement for field installation of showering components
- Optional factory installed ADA & ANSI compliant packages for true barrier-free accessibility
- ABF versions provide additional drain connection space below the tub



TS3P-6032L ABF / ANSI17-REM

Model Specifications



Showers	Seat Dimensions	Enclosure Dimensions
SH3P-3232	-	22-5/8" w (max) x 71" h (max)
SH3P-3636	-	32-5/8" w (max) x 70-3/4" h (max)
□ SH3P-3937	-	NA
SH3P-4832	-	44-1/2" w (max) x 71-1/4" h (max)
SH3P-4834RS/LS	13" w x 22" d x 18-1/2" h	44-1/2" w (max) x 71-1/2" h (max)
SH3P-6030R/L	-	56-3/4" w (max) x 71-1/2" h (max)
SH3P-6030R-LS/L-RS	14" w x 18-1/2" d x 18-1/2" h	56-3/4" w (max) x 71-1/2" h (max)
SH3P-6032R/L	-	56-3/4" w (max) x 71-1/2" h (max)
SH3P-6032R-LS/L-RS	15" w x 20" d x 18-1/2" h	56-3/4" w (max) x 71-1/2" h (max)
□ SH3P-MD-6032R/L	-	NA
SH4P-6030	-	56-3/4" w (max) x 71" h (max)
SH4P-6030R-LS/L-RS	14" w x 18-1/2" d x 18-1/2" h	56-3/4" w (max) x 71" h (max)
SH4P-6032	-	56-3/4" w (max) x 71" h (max)
SH4P-6032R-LS/L-RS	15" w x 20" d x 18-1/2" h	56-3/4" w (max) x 71" h (max)
□ SH3P-6334	-	NA

Tub/showers	Sump Dimensions	Enclosure Dimensions
□ TS3P-6030R/L	51" l x 20" w x 13-1/4" d	56-3/4" w (max) x 60-1/4" h (max)
□ TS3P-6032R/L	51" l x 22" w x 13-1/4" d	56-3/4" w (max) x 60-1/4" h (max)
TS4P-5429 R/L	44-1/2" l x 20" w x 13-1/8" d	50-5/8" w (max) x 54-1/4" h (max)
TS4P-6030R/L	51" l x 20" w x 13-1/4" d	56-3/4" w (max) x 59-3/4" h (max)
TS4P-6032R/L	51" l x 22" w x 13-1/4" d	56-3/4" w (max) x 59-3/4" h (max)

□ Meets the guidelines for ADA & ANSI compliance

□ Due to the narrow threshold size & configuration care must be used in selecting an enclosure.

Locations of bar or bar & seat package components may prohibit the installation of a shower enclosure.

Standard color: White / Available colors: Biscuit & Bone (additional cost) / Additional premium colors available

Experience.

VURSAkd

At Oasis, we believe in producing products with exceptional value beyond their price. For nearly three decades, Oasis has met the quality and service expectations of the plumbing professionals, and provided to the homeowner a personal vision for quality, performance, and value.

From the simplicity of a leisurely shower to the therapeutic benefits of a stress relieving hydrotherapy system, Oasis products provide an exceptional bathing experience. We offer products in an array of sizes and shapes, complimented by a variety of systems and assisted living packages.

Why go to all this effort? Because we care about the products we provide, the reputation of the professionals who use our products, and the legacy of all those associated with our efforts. Your plumbing professional will gladly assist you in selecting the Oasis model and features to satisfy your vision.



Oasis

Plymouth, Indiana
www.oasisbath.com

Special Notes:

1. The VURSAkd design and assembly application has been filed with the U.S. patent office, and currently have patents pending.
2. Base components of the VURSAkd series are NOT offered or designed to be individually installed with other wall materials.
3. The VURSAkd series offers an extensive offering of reinforcement and bar options. Consult with your Oasis plumbing professional for a complete listing of available packages.
4. Oasis reserves the right to modify or discontinue product and/or associated equipment without prior written or verbal notification or obligation.
5. Equipment or components shown in product photographs may be optional extra cost items.
6. Dimensions listed are maximum. Due to the nature of the materials involved, actual unit dimensions can vary (tolerances: +0 / -1/8 inch).