ACRYLLUS SERIES 'INTEGRAL DOME' SHOWER STALL



48-INCH MODEL


SHA-DM-4833RS (right seat) SHA-DM-4833LS (left seat)

Rough-In Dimen.	48" wide x 34" deep x 89-3/8" high (w/ 4-1/2" dam)
Finished Dimen.	48" wide x 32-3/4" deep x 89-3/8" high (w/ 4-1/2" dam)
Unit Features	 One - Piece Fiberglass Composite Construction Vacuum Formed Acrylic Surface
	 3-3/8" Dia. Center Drain (see reverse side for location)
	Integral Unit Dome (cap)
	Gelcoat Style Mounting Flanges
	Single, Ergonomic Right or Left Hand Seat
Home Innovation	Low Profile Dam (standard)
LAB CERTIFIED™	Generous, Multi-Level Back Wall Shelving
	Balsa Wood Core Floor Structure
Special Notes	Optional ABF Model (provides 2-1/2-inches of drain clearance)
	Factory Applied Bar Packages Available
	No-Seat Version Available
	 Open Top Versions Available
	 Available Only In White (WHT) & Biscuit (BSC) Colors

ACRYLLUS SERIES SHOWER STALL

Order No.: SHA-DM-4833RS (RH seat / 4-1/2" dam) SHA-DM-4833LS (LH seat / 4-1/2" dam) SHA-DM-4833RS ABF (RH seat / 6" dam) SHA-DM-4833LS ABF (LH seat / 6" dam)

48" x 32-3/4", one-piece vacuum formed acrylic shower stall with integral unit cap, right or left hand countoured seat, multi-level back wall shelving, gelcoat style mounting flanges, 4-1/2" low profile dam (1" drain clearance), wall surround, and center drain.






Package Order No.: BP1 (2-bar only package)

Upgrade Package No.: BP1 WHT (1-1/4" dia., white powder coat, 2-bar only package)

BP1 SNK (1-1/4" dia., satin nickel, 2-bar only package)



Package Includes: Factory installed, 1-1/2" dia. stainless steel, 2-bar package with basic reinforcement for components (LS shown). NOTE: Positioning of factory installed components allow for the installation of a shower enclosure.




Package Order No.: BP2 (3-bar only package)

Upgrade Package No.: BP2 WHT (1-1/4" dia., white powder coat, 3-bar only package)

BP2 SNK (1-1/4" dia., satin nickel, 3-bar only package)

ActivLife solutions

Package Includes: Factory installed, 1-1/2" dia. stainless steel, 3-bar package with basic reinforcement for components (LS shown). NOTE: Positioning of factory installed components allow for the installation of a shower enclosure.



Photographic images may include optional components and appear different than actual product.

Dimensions shown are maximum. Due to the nature of the materials involved, actual unit dimensions can vary (tolerances: +/-1/8 inch)

Oasis reserves the right to modify or discontinue product and/or associated equipment without prior written or verbal notification or obligation.