BARRIER-FREE SHOWER



WXR Wall & Floor Flange Detail



FLAT WALL MODEL

SHFW-WXR/L-3837

Rough-In Dimensions	38" wide x 36" deep x 76-3/4" high
Finished Dimensions	38" wide x 37" deep x 75-1/2" high
Unit Features	 One - Piece Fiberglass Composite Construction Sanitary Grade Polyester Gelcoat Surface
Home Innovation LAB CERTIFIED™	 3-3/8" Dia. Center Drain (see reverse side for location) 1/2" Threshold To Aid In Keeping Water Within Confines of Unit Contoured Threshold To Aid Entry And Exit Single, RH or LH Expanded Entry Wall Reveal Minimizes Transfer Space 1" Floor Flange To Secure Unit Along Threshold Textured Floor Pattern
Special Notes	 Factory Applied Reinforcement Packages Available Factory Applied Bar Configurations Available Factory Applied ADA & ANSI Compliant Bar & Seat Packages Available

BARRIER-FREE SHOWER

Order No.: SHFW-WXR-3837 (RH wall extension)

SHFW-WXL-3837 (LH wall extension)

38" x 37" (36" x 36" interior dimension), one-piece gelcoated fiberglass, flat-wall shower stall with right hand or left hand expanded shower entry wall reveal to reduce the transfer space from wheelchair, 1/2-inch high maximum finished threshold, floor attachment flange, wall surround, and center drain.

(To maintain required clear floor space seat reinforcement or folding seat must be installed on the WX wall.)


NOTE: ADA & ANSI regulations limit the use of reinforced only and seat deleted packages to certain non-19" 37 36" public use applications (see ADA & Inside ANSI standards for restrictions). Frame 38-1/4 Pocket 3-3/8" Dia. 18" Drain 1-1/8" 1"-Wide Floor Flange 1-1/4" Nailing WXR version shown 19' Flange 38" Frame Pocket 36" Inside 2" Wall Reveal -1-1/4" Nailing Flange Right Side Wall 1-1/4" 1-1/4" Back Wall Left Side Wall Right Hand 2" Wall 74-3/4" 76-3/4" Threshold . "91// 1-1/4 3/4" Apron 3/4" Apron 1-1/4"


Package Order No.:

Options: SS Shower Rod (1*)

SS Recessed Soap Dish (1*) White, Ringless Curtain (order: ADD/SHWR ROD-TS)

(order: SSD) (order: CRT-36)





Notes: (1*) Factory installed options




Package Order No.: FH-RS or LS (RS shown) (Fair Housing wall reinforcement)



Package Includes: Factory applied, ActivLife, HUD-FHA compliant (Fair Housing), structurally reinforced wall areas (as shown) for independent field application of bars and seat.

NOTE: "RS or LS" designates RH or LH reinforced seat wall.




Package Order No.: FHV-RS or LS (RS shown) (Fair Housing wall reinforcement)



Package Includes: Factory applied, ActivLife, HUD-FHA compliant (Fair Housing), structurally reinforced wall areas (as shown) for independent field application of bars and seat.

NOTE: "RS or LS" designates RH or LH reinforced seat wall.






Package Order No.: FHV-DS (Fair Housing wall reinforcement)



Package Includes: Factory applied, ActivLife, HUD-FHA compliant (Fair Housing), structurally reinforced wall areas (as shown) for independent field application of bars and seat.

NOTE: Factory installed component packages available with listed reinforcement.



Package Order No.: 3SM (3-side, mid-level wall reinforcement)



Package Includes: Factory applied, ActivLife, 3-side, mid-level, structurally reinforced wall areas (as shown), exceeding 'Fair Housing' (HUD/FHA) requirements, for independent field application of bars and seat.

NOTE: Factory installed component packages available with listed reinforcement.

38" Frame Pocket 37 2" Wall Reveal 1-1/4" 1-1/4" Right Side Wall Left Side Wall Back Wall 1-1/4" 5-1/2" 5-1/2 8" w x 32" h Reinforcement Right Hand 2" Wall 8" w x 32" h Reinforcement 37-1/2" Control Area Control Area Control Area 74-3/4" 76-3/4" 34" w x 36" h 34" w x 36" h Reinforcement 34" w x 36" h Reinforcement Reinforcement 38" 3/4" Apron




Package Order No.: 3SF (3-side, full-wall reinforcement)



Package Includes: Factory applied, ActivLife, 3-side, full-wrap, structurally reinforced wall areas (as shown), exceeding 'Fair Housing' (HUD/FHA) requirements, for the independent field application of bars and seat.

NOTE: Factory installed component packages available with listed reinforcement.



Package Order No.: ICBAR-(R or L) (2-wall / single-bar only package)

ICBAR-(R or L) WHT (1-1/4" dia., white powder coat, 2-wall / single-bar only package)


ICBAR-(R or L) SNK (1-1/4" dia., satin nickel, 2-wall / single-bar only package)

ActivLife solutions

Package Includes: Factory installed, ActivLife, 2-wall bar package with horizontal corner bar across the control wall and back wall, basic reinforcement for components and reinforcement for a seat opposite the control wall.

NOTES: "R or L" designates RH or LH control wall.

Enhanced reinforcement available with listed component package.





Package Order No.: 2BAR-(R or L) (2-wall / 3-bar only package)


2BAR-(R or L) WHT (1-1/4" dia., white powder coat, 2-wall / 2-bar only package)

2BAR-(R or L) SNK (1-1/4" dia., satin nickel, 2-wall / 2-bar only package)



Package Includes: Factory installed, ActivLife, 2-wall bar package with horizontal corner bar across the control wall and back wall, a single vertical bar on the control wall, basic reinforcement for components and reinforcement for a seat opposite the control wall. NOTES: "R or L" designates RH or LH control wall.

Enhanced reinforcement available with listed component package.



Package Order No.: ADA10-(RS or LS) (folding seat - 2010 ADA Standards compliant pkg)

Package Includes: Factory installed folding seat, 1-1/2" dia. stainless steel horizontal corner bar across the control wall and back wall with basic reinforcement for components, and shower curtain rod in compliance with 2010 ADA requirements.


NOTES: ADA10 is a 2-wall bar package. Check installation site regulations for compliance requirements. "RS or LS" designates seat wall.

Shower curtain rod may be deleted upon request without affecting compliance.

Enhanced reinforcement available with listed component package.

Optional, white, 150 denier fabric, bottom weighted shower curtain with integrated rings (#CRT-36).







Package Order No.: ANS17-(RS or LS) (folding seat - ICC/ANSI A117.1-2017 Standards compliant pkg)

Package Includes: Factory installed folding seat, 1-1/2" dia. stainless steel horizontal corner bar across the control wall and back wall, a single vertical bar on the control wall, basic reinforcement for components and shower curtain rod in compliance with ANSI A117.1-2017 requirements.

NOTES: ANS17 is a 2-wall bar package with vertical bar. Check installation site regulations for compliance requirements. "RS or LS" designates seat wall.

Shower curtain rod may be deleted upon request without affecting compliance.

Enhanced reinforcement available with listed component package.

Optional, white, 150 denier fabric, bottom weighted shower curtain with integrated rings (#CRT-36).

