Oasis 60 x 32 Bathtub With ActivLife 3-Wall Full Reinforcement Wrap Package

Specification – Oasis one-piece, 60 x 32-inch deep, FRP gelcoat bathtub model TS-6032, offered in a standard 16-inch or 17.25-inch (ABF) apron height. ActivLife package includes factory applied, 3-wall, full-wrap reinforcement, exceeding (HUD/FHA) 'Fair Housing' requirements.

Standards Certification:
The bathtub listed is manufactured in compliance with ANSI Z124 Standards, and certified through an ongoing, independent quality assurance and testing program.

Oasis®

TS-6032 R / 3SF
(RH drain / full reinforcement wrap)
Model & Package Illustrated

NOTE: ADA & ANSI regulations limit the use of reinforced only packages to certain non-public use applications (see ADA & ANSI standards for restrictions).

Home Innovation
LAB CERTIFIED™

ActivLife
solutions

	Std Unit	ABF Unit
A	73-3/4"	75"
B	72-1/2"	73-3/4"
C	16"	17-1/4"
D	1-3/4"	3"
E	13-3/4"	15"
F	-	-

2-1/2" Dia. Overflow
2" Dia. Drain

17-3/8"
32"
33-1/4"
14-5/8"
1-1/4"

50-7/8"   9-1/8"
1-13/16"   56-3/8"   1-13/16"
60"

Enclosure Size:
56-3/8"w (max) x 56-1/2"h (max)

Control End Wall

1-1/4"

Back Wall

1-1/4"

Head End Wall

6"   6"

High Shelf

28"w x 12"h Reinforcement

52"w x 12"h Reinforcement

6"

Middle Shelf

Style Line

38"w x 8"h Reinforcement

14"w x 14"h Reinforcement

56-1/2"

Accessory Ledge

8"w x 8"h Reinforcement

Control Area

9"w x 7"h Reinforcement

28"w x 48"h Reinforcement

16"w x 28"h Reinforcement

34"w x 14"h Reinforcement

(A)

Low Shelf

26"w x 38"h Reinforcement

34"w x 6"h Reinforcement

(B)

Mini-Headrest

(C)

(E)

(D) Drain Clearance

Dimensions shown are maximum. Due to the nature of the materials involved, actual unit dimensions can vary (tolerances: +0 / -3/8 inch).
Oasis reserves the right to modify or discontinue product and/or associated equipment without prior written or verbal notification or obligation.

Model ID	Package Code	Description (define configuration referencing drain end)
TS-6032 L (Std or ABF) TS-6032 R (Std or ABF)	/ 3SF (left drain) / 3SF (right drain)	*60" x 32", end drain, tub-shower, with 16" (Std) or 17.25" (ABF) apron, and ActivLife 3-side, full-wrap reinforcement.*

Traditional Vertical Wall Face Profile

Right Side Interior Module Wall

Top Horizontal Flange

Vertical Attachment Flange

1.25" (+/-) Flange

.875" (Minimum) Wall Face (Varies by Model)

0.125" - 0.1875" (+/-) Flange Thickness

Available Factory Installed Packages (model available without any component or reinforcement packages)

Component Packages:

1. ANS17 package code: 5-bar package with folding or removable RH or LH seat & shower rod, based on ANSI-2017
2. ADA10 package code: 4-bar package with folding or removable RH or LH seat & shower rod, based on ADA-2010
3. 5BAR package code: 5-bar package replicates ANS17 bar configuration (less seat & shower rod)
4. 4BAR package code: 4-bar package replicates ADA10 bar configuration (less seat & shower rod)
5. BP1-60 & BP2-60 package codes: 2-wall, 2-bar or 3-bar packages

Reinforced <u>ONLY</u> Packages:

6. FH package code: reinforcement for a single vertical & horizontal bars, based on HUD/FHA-Fair Housing
7. 3SM & 3SF package codes: expanded reinforcement packages, (with or without package components)

NOTE: ABF version is required for ADA & ANSI seat height compliance