Oasis 60 x 30 ABF Configured, Flat Wall Bathtub With ActivLife 2-Bar (2-horizontal) Package



Specification – Oasis one-piece, 60 x 30-inch deep, FRP gelcoat flat wall bathtub model TSF-6030, offered in a 17.25-inch (ABF) apron height. ActivLife package includes a horizontal bar on the back wall and the control wall.


Standards Certification:

of a shower enclosure.

The bathtub listed is manufactured in compliance with ANSI Z 124 Standards, and certified through an ongoing, independent quality assurance and testing program.

The factory-applied grab bar package is certified through an independent review program.





NOTE: Bar positioning prohibits the installation

Dimensions shown are maximum. Due to the nature of the materials involved, actual unit dimensions can vary (tolerances: +0 / -1/8 inch). Oasis reserves the right to modify or discontinue product and/or associated equipment without prior written or verbal notification or obligation.

URSIS TSF-6030 R ABF / BP1-60


(RH drain / 2-bar package) Model & Package Illustrated

Model ID	Package Code	Description (define configuration referencing drain end)
TSF-6030 L ABF TSF-6030 R ABF	/ BP1-60 (left drain) / BP1-60 (right drain)	60" x 30", flat-wall, end drain, tub-shower with 17.25" apron, and ActivLife 1.50" dia. stainless steel 2-bar package (single horizontal back wall bar, single horizontal bar on control wall).
Powder Coated Bar Pa	ackages (1.25-inch dia.)	
TSF-6030 L ABF TSF-6030 R ABF	/ BP1-60 WHT (left drain) / BP1-60 WHT (right drain)	60" x 30", flat-wall, end drain, tub-shower with 17.25" apron, and ActivLife 1.25" dia. white powder coated, 2-bar package (single horizontal back wall bar, single horizontal bar on control wall).
TSF-6030 L ABF TSF-6030 R ABF	/ BP1-60 SNK (left drain) / BP1-60 SNK (right drain)	60" x 30", flat-wall, end drain, tub-shower with 17.25" apron, and ActivLife 1.25" dia. nick- el 2-bar package (single horizontal back wall bar, single horizontal bar on control wall).
	ADD / SHWR ROD-TS	Factory installed 1" dia. stainless steel shower curtain rod.
	Right Side Interior Module Wall	Traditional Vertical Wall Face Profile Top Horizontal Flange Vertical Attachment Flange

.875" (Minimum)

Wall Face

(Varies by Model)



1.25" (+/-)

Flange

- Photo 1: Grab Bars: Factory-installed 1.50-inch diameter, concealed attachment, 18 gauge, #304 brushed stainless steel grab bars. Concealed attachment design provides tamper-resistance and minimizes debris collection areas at contact points, compared to common exposed flange bar designs, without compromising bar attachment integrity. (Reinforced areas include a structural core material encapsulated in FRP composite.)
- Photo 2: Grab Bars: Factory-installed 1.25-inch dia. powder coated (in finishes listed above), concealed attachment, 18 gauge, #304 stainless steel grab bars. Concealed attachment design provides tamper-resistance and minimizes debris collection areas at contact points, compared to common exposed flange bar designs, without compromising bar attachment integrity. (Reinforced areas include a structural core material encapsulated in FRP composite.)

Available Factory Installed Packages (model available without any component or reinforcement packages)

- **Component Packages:**
 - 1 ANS17 package code:
 - 2. ADA10 package code:
 - 3. 5BAR package code:
 - 4. 4BAR package code:
 - 5. BP1-60 & BP2-60 package codes:
- 5-bar package with folding or removable RH or LH seat & shower rod, based on ANSI-2017 4-bar package with folding or removable RH or LH seat & shower rod, based on ADA-2010 5-bar package replicates ANS17 bar configuration (less seat & shower rod)

Flange

0.125" - 0.1875" (+/-)

Flange Thickness

- 4-bar package replicates ADA10 bar configuration (less seat & shower rod)
- 2-wall, 2-bar or 3-bar packages

Reinforced ONLY Packages:

- 6. FH package code: reinforcement for a single vertical & horizontal bars, based on HUD/FHA-Fair Housing
- 7. 3SM & 3SF package codes: expanded reinforcement packages, (with or without package components)

NOTE: XAF version is required for ADA & ANSI seat height compliance