

# BARRIER-FREE TUB / SHOWER

**Oasis**

TSFW-6030R XAF / ADA10-REM



60-INCH, FLAT-WALL MODEL

**TSFW-6030**

**Rough-In Dimensions**

60" wide x 31" deep x 73-3/4" high (w/ 16-inch ABF apron)

**Finished Dimensions**

60" wide x 29-3/4" deep x 72-1/2" high (w/ 16-inch ABF apron)

**Unit Features**



**Home Innovation**  
LAB CERTIFIED™

- One - Piece Fiberglass Composite Construction
- Sanitary Grade Polyester Gelcoat Surface
- 2" Dia. Drain / RH or LH (see reverse side for location)
- 2-1/2" Dia. Overflow (see reverse side for location)
- Textured Floor Pattern
- 1/2-inch Balsa Wood Core Floor Structure

**Special Notes**

- Optional XAF Model (provides 4-1/4 Inches of drain clearance)
- Factory Applied Reinforcement Packages Available
- Factory Applied Bar Configurations Available
- Factory Applied ADA & ANSI Compliant Bar & Seat Packages Available


**Order No.: TSW-6030R ABF (RH drain / 16" apron)**  
**TSFW-6030L ABF (LH drain / 16" apron)**

**TSFW-6030R XAF (RH drain / 17-1/4" apron)**  
**TSFW-6030L XAF (LH drain / 17-1/4" apron)**

60" x 29-3/4", One-piece gelcoated fiberglass tub/shower with 16" apron (3" drain clearance), flat-wall design to accommodate factory applied reinforcement and/or bar and seat packages, and drain on end indicated.

TSFW-6030

	ABF Unit	XAF Unit
A	73-3/4"	75"
B	72-1/2"	73-3/4"
C	16"	17-1/4"
D	3"	4-1/4"
E	13-3/4"	15"
F	-	-

**Package Order No.:**


Options: SS Shower Rod (1\*) (order: ADD/SHWR ROD-TS)  
SS Recessed Soap Dish (1\*) (order: SSD)  
White, Ringless Curtain (order: CRT-TS)

Notes: (1\*) Factory installed options

Sump Dimensions: 48" long x 21-1/4" wide x 12-1/4" deep  
Sump Capacity: 35 gal. (unoccupied - to overflow)  
Whirlpool Operating: NA

**Package Order No.: FH (Fair Housing wall reinforcement)**


Package Includes: Factory applied, HUD-FHA compliant (Fair Housing), structurally reinforced wall areas (as shown) for the independent field application of bars.



**Package Order No.: 3SM (3-side, mid-level wall reinforcement)**

Package Includes: Factory applied, 3-side, mid-level, structurally reinforced wall areas (as shown), exceeding 'Fair Housing' (HUD/FHA) requirements, for independent field application of bars.


NOTE: Factory installed component packages available with listed reinforcement.



**Package Order No.: 3SF (3-side, full-wall reinforcement)**

Package Includes: Factory applied, 3-side, full-wrap, structurally reinforced wall areas (as shown), exceeding 'Fair Housing' (HUD/FHA) requirements, for the independent field application of bars.

NOTE: Factory installed component packages available with listed reinforcement.



**Package Order No.: BP1-60 (2-bar only package)**


**Upgrade Package No.: BP1-60 WHT (1-1/4" dia., white powder coat, 2-bar only package)**

**BP1-60 SNK (1-1/4" dia., satin nickel, 2-bar only package)**

Package Includes: Factory installed, 1-1/2" dia. stainless steel, 2-bar package with basic reinforcement for components (as shown).

NOTES: Enhanced reinforcement available with listed component package.


Positioning of factory installed components prohibit the installation of a shower enclosure.



**Package Order No.:** BP2-60 (3-bar only package)  
**Upgrade Package No.:** BP2-60 WHT (1-1/4" dia., white powder coat, 3-bar only package)  
 BP2-60 SNK (1-1/4" dia., satin nickel, 3-bar only package)

Package Includes: Factory installed, 1-1/2" dia. stainless steel, 3-bar package with basic reinforcement for components (as shown).  
 NOTES: Enhanced reinforcement available with listed component package.

Positioning of factory installed components prohibit the installation of a shower enclosure.




**Package Order No.:** 4BAR (4-bar only package)  
**Upgrade Package No.:** 4BAR WHT (1-1/4" dia., white powder coat, 4-bar only package)  
 4BAR SNK (1-1/4" dia., satin nickel, 4-bar only package)



Package Includes: Factory installed, 1-1/2" dia. stainless steel, 4-bar package with basic reinforcement for components (as shown) (replicates ADA10 bar configuration less seat and shower rod).

NOTES: Enhanced reinforcement available with listed component package.

Positioning of factory installed components prohibit the installation of a shower enclosure.



Positioning of factory installed components prohibit the installation of a shower enclosure.



**Package Order No.:   ANS17-FLD (folding seat - ICC ANSI compliant pkg)**  
**ANS17-REM (removable seat - ICC ANSI compliant pkg)**

Package Includes: Factory installed seat, 1-1/2" dia. stainless steel bars and shower curtain rod in compliance with ICC ANSI-A117.1-2017 requirements.

NOTES: ANS17 is a 5-bar package. Check installation site regulations for compliance requirements.

Enhanced reinforcement available with listed component package.

Shower curtain rod may be deleted upon request without affecting compliance.

Use of XAF unit is required for seat height compliance.

Positioning of factory installed components prohibit the installation of a shower enclosure.

Optional, white, 150 denier fabric, bottom weighted shower curtain with integrated rings (#CRT-TS).

